Author Index

Bhatti, J. S., 35
Broadwater, R. P., 23

Chandrasekaran, A., 23
Chen, C. X., 41
Chen, S. T., 91
Cudworth, C. J., 1
Cloutier, L., 191
Cokkindes, G. J., 109

Desai, B. T., 237
DeVore, R. V., 35
Dialynas, E. N., 71
Dubé, B. M., 183

El-Alaily, A. A., 227
El-Hawary, M. E., 11

Fetih, N. H., 97

Gupta, H. O., 237

Harley, R. G., 61, 155
Huddleston, C. T., 23

Jamaleddine, A., 191
Jones, H. M., 149

Kalra, P. K., 83, 137, 169
Korzeniowski, K., 149
Khan, A. H., 23
Kim, C. J., 219

Lasseter, R. H., 121
Lo, K. L., 51
Long, W. F., 121

Machias, A. V., 71
Magdy, M. A., 149
Makram, E. B., 61, 155
Mandour, M. M., 227

Nakra, H. L., 183

Paithankar, Y. G., 233
Papadopoulos, D., 1
Penman, J., 1

Ravindranath, K. M., 11
Russell, B. D., 219

Sadighi, I., 137
Sakis Meliopoulos, A. P., 109
Salem, M. M., 51
Salameh, Z. M., 103
Smith, J. R., 1
Souflis, J. L., 71

Tam, K. S., 121
Tripathy, S. C., 129

Vasantha, M. K., 237

Weedy, B. M., 207
Westerman, J., 103

Xie, G. R., 41

Yee, M. L., 35
Yu, D. C., 91

Zambrano, V. O., 61, 155

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Aerogenerator regenerative braking
with slip recovery systems, 183
Arcing faults
on power distribution
feeders, harmonic behaviour during, 219
Asynchronous and synchronous machines
transient response of, to asymmetrical faults in unbalanced network, 155

Braking
regenerative, of aerogenerator, with slip recovery system, 183

Cable system
water cooled self-contained, economic method for simulating soil transient temperatures in, 207
Component failures
of power systems, expert system methodology for determining characteristics of, 71
Computer relaying
fast (1-shift) orthogonal functions for extraction of fundamental frequency component for, 233
Conductor bundle
four-, non-linear finite-element model to calculate twist moment of, 191
Control system problems
approaches for updating matrix inverse for, with special reference to row or column perturbation, 137
Controller configurations
application of, to HVDC system, 169
Converter station
HVDC, prediction of ground level electric field strength outside, 35
Current transformer performance for inrush current in power transformers, 237

Electric field strength
ground level, prediction of, outside HVDC converter station, 35
Energy conservation
in HVDC–AC power system, 129
Expert system methodology
for determining characteristics of power system component failures, 71

Fault diagnosis
for HVDC system: feasibility study of expert system application, 83
Finite-element model
non-linear, to calculate twist moment of four-conductor bundle, 191
Forces
on restraining structures of hydrogenerators, prediction of, during severe disturbance conditions, 1
Fundamental frequency component
for computer relaying, fast (1-shift) orthogonal functions for extraction of, 233

Grounding grid
of substation, new formula for calculation of maximum step voltage in, 41
Grounding representation
explicit, transmission line modelling, 109

Harmonic behaviour
during arcing faults on power distribution feeders, 219
HVDC converter station
prediction of ground level electric field strength outside, 35
HVDC link
interconnecting weak AC system to, with hybrid inverter, 121
HVDC system
application of controller configurations to, 169
fault diagnosis for: feasibility study of expert system application, 83
HVDC–AC power system
energy conservation in, 129
Hybrid inverter
interconnecting weak AC system to, 121
Hydrogenerators
prediction of forces on restraining structure of, during severe disturbance conditions, 1
Hydro–thermal systems
variable head, optimal operation of, using Glimn–Kirchmayer model and Newton–Raphson method, 11

Induction motor
transient response of, to multiple faults in unbalanced power systems, 61
Inrush current
in power transformers, current transformer performance for, 237

Low frequency modes
in electric power systems, on-line estimation of, 149

Matrix inverse
approaches for updating, for control system problems with special reference to row or column perturbation, 137
Matrix partial refactorization
and node reordering study, 91
Modes
low frequency, in electric power systems, on-line estimation of, 149

Node reordering
and matrix partial refactorization study, 91

© Elsevier Sequoia/Printed in The Netherlands

On-line estimation
of low frequency modes in electric power systems, 149
Orthogonal functions
fast (1-shift), for extraction of fundamental frequency component for computer relaying, 233

Power flow analysis
of unbalanced multiphase radial distribution systems, 23
Protection
of very short transmission lines, comprehensive form for, 227

Radial distribution systems
unbalanced multiphase, power flow analysis of, 23
Repulsion motor
solid-state speed control of, 103

Slip recovery system
aerogenerator regenerative braking with, 183
Solid-state speed control
of repulsion motor, 103
Speed control
solid-state, of repulsion motor, 103
State estimation
of power system, two-level, reliable and efficient linear programming algorithm for, 51
Step voltage
maximum, in substation grounding grid, new formula for calculation of, 41
Synchronous and asynchronous machines
transient response of, to asymmetrical faults in unbalanced network, 155

Transformer
current, performance of, for inrush current in power transformers, 237
Transient response
of induction motor to multiple faults in unbalanced power systems, 61
of synchronous and asynchronous machines to asymmetrical faults in unbalanced network, 155
Transient temperatures
of soil, in water cooled self-contained cable system, economic method for simulating, 207
Transmission line(s)
modelling of, with explicit grounding representation, 109
very short, comprehensive form for protection of, 227
Twist moment
of four-conductor bundle, non-linear finite-element model to calculate, 191
Two-level state estimation
of power system, reliable and efficient linear programming algorithm for, 51

Unbalanced distribution systems
multiphase radial, power flow analysis of, 23
Unbalanced network
transient response of synchronous and asynchronous faults in, 155
Unbalanced power systems
induction motor transient response to multiple faults in, 61